

## MATERIAL SAFETY DATA SHEET

TYPE 3  
SUPERWET**PAVE CHEM**

MASONRY ADHESIVES

## SECTION I – PRODUCT IDENTIFICATION

**Manufacturer's Name:**

Pave Tech  
 P.O. Box 576  
 Prior Lake, Minnesota 55372  
 (952) 226-6400  
 Fax: (952) 226-6406  
 Toll Free: (800) 728-3832

**Name:** Type 3 SuperWet**Class:** 55**CAS No.:** 644-40-5**UN No.:** none

## SECTION II – HAZARDOUS INGREDIENTS

Polisocyanate Based on Diisocyanate 100%

## SECTION III – PHYSICAL DATA

**VOC:** 0 g/L**BOILING POINT** 368°C

Dark Brown, Earthy/Musty

## SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Ignites only after considerable preheating.

**EXTINGUISHING MEDIA:** Sand, Foam, Water.

## SECTION V – HEALTH HAZARD DATA

**ROUTES OF ENTRY:** Inhalation, Skin Absorption.

## FIRST AID PROCEDURES

**EYE CONTACT:** Irritating to eyes, wash carefully with plenty of water.**INHALATION (Breathing):** May cause sensitization by inhalation. Outgasses only CO<sub>2</sub> in trace amounts.**SKIN CONTACT:** Avoid skin contact, irritant.**INGESTION (Swallowing):** May cause sensitization.

## SECTION VI – REACTIVITY DATA

**STABILITY:** Stable.**INCOMPATIBILITY:** alcohol, amins (exotherme reaction possible).**CONDITIONS TO AVOID:** If mixed with water, CO<sub>2</sub> will be formed. Container must be decomprezimed.

## SECTION VII – SPILL OR LEAK PROCEDURES

**RELEASE OR SPILL:** Cover with sawdust, sand, deposit in open container after approximately one hour.**WASTE DISPOSAL:** Industrial waste; deposit according to regulations.

TYPE 3 SUPERWET (*continued*)

SECTION VIII – SPECIAL PROTECTION

**GLOVES:** Use neoprene or rubber protective gloves.

**VENTILATION:** Use local exhaust.

SECTION VIII – SPECIAL PRECAUTIONS

**HANDLING & STORAGE:** Maximum temperature 50°C.

**DISCLAIMER:**

The information contained herein is based on data considered to be accurate. Pave Tech makes no warranties express or implied and assumes no responsibility for the accuracy or completeness of the data. Pave Tech further assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by this material. Such vendees or users assume all risks associated with the use of this material.

MSDS updated 12/98

