



---

**The Concrete Advantage.**

---

[westerninterlock.com](http://westerninterlock.com)




















# Built on a history of service.

From our beginning in 1990, we have been committed to creating products and relationships that will stand the test of time. From our materials to our customers, contractors, and dealers we believe in building things that last. We are committed to the craft—constantly refining, improving, and innovating in everything we do. We believe craftsmanship isn't just the process but our primary purpose. At all levels, from manufacturing to support, we constantly push the boundaries and look to elevate our mastery.

We believe in leading with integrity, and we do not take shortcuts. We deliver on all of our

promises to our customers, each other, and the community. By operating with transparency, we strive to earn trust through our actions as well as our words. Western Interlock exists to serve not only with great products but also by empowering homeowners, contractors, and dealers to build a community that can produce more than any individual. We believe in the power of faith, family, and friendship to shape spaces and lives. Every decision we make, every ton we produce, and every landscape we transform is done with a clear mission: to build better products, better communities, and a better future.

Throughout our brochure we use a variety of icons and labels to help guide you through the process of choosing the products that are best suited for your project. Use the keys below to learn what each one means:

					<b>Pedestrian Traffic</b>		<b>Not for Heavy Vehicular Traffic</b>		<b>Some Walls May Require Engineering</b>
<b>SMOOTH</b>	<b>COBBLED</b>	<b>RUSTIC</b>	<b>TEXTURED</b>		<b>Light Vehicular Traffic</b>		<b>Suitable for ADA Traffic</b>		<b>Free-standing Garden Wall</b>
					<b>Not for Light Vehicular Traffic</b>		<b>OK to Compact Stones</b>		<b>Retaining Wall</b>
					<b>Heavy Vehicular Traffic</b>		<b>Do Not Compact Stones</b>		<b>Glue-together Construction</b>
							<b>Permeable Pavers</b>		

# Table of Contents

## PAVING STONES

Villa Stone	Pages 4-45
Leiden Collection	Page 5
Double Park™	Pages 6-7
Arena Stone	Pages 8-9
Park & Plaza Stone	Page 10
Holland & Half Holland Stones	Page 11
La Lastra™	Pages 12-13
Largo 18™	Pages 14-15
La Pietra™ Moderna	Pages 16-17
Milana™ Moderna	Pages 18-19
City Square	Pages 20-21
Holland Slimline	Page 22
Roma Stone™	Page 23
Milana Stone™	Pages 24-25
Cobble Park & Plaza Stone	Pages 26-27
Camino Stone	Pages 28-29
Cobble Rotundo Stone	Pages 30-31
Cobble Slimline	Pages 32-33
Roca Camino	Pages 34-35
Roca Park & Plaza Stone	Pages 36-37
Cima Stone™	Pages 38-39
Granite Stone	Pages 40-41
La Pietra™	Pages 42-43
<b>PERMEABLE PAVERS</b>	Pages 44-45
Camino Permeare	Pages 46-50
Trio Permeare	Page 47
Holland & Park Permeare	Page 48
VS-5™ Drain Pave & Turf Stone	Page 49
<b>RETAINING WALLS</b>	Page 50
Chateau Wall™	Pages 51-66
Chateau Moderna™	Pages 52-53
Chateau Diviso™	Pages 54-55
Tegula Garden Wall™	Pages 56-57
Gradino™ Radius	Pages 58-59
Gradino™ Wall	Pages 60-61
Gradino™ Step Block	Pages 62-63
Versa-Cap™	Page 64
Murata™	Page 65
Murata™ Split	Pages 66-67
Murata™ Cappello	Page 68
Murata™ Step Block	Page 69
Magnum Stone®	Page 70
Monaco Coping	Page 71
<b>FIRE FEATURES</b>	Page 72
Tegula Garden Wall™ 40" Fire Pit	Pages 73-81
	Page 74



Chateau Wall™ 50" Fire Pit	Page 75
Chateau Moderna™ 50" Fire Pit	Page 76
Chateau Diviso™ 50" Fire Pit	Page 77
Wet Cast Fire Pit Caps	Page 78
Deschutes Fireplace Kit	Page 79
Rogue Fireplace Kit	Page 80
Chateau Moderna Fireplace Kits	Page 81
<b>INSPIRATION GALLERY</b>	Pages 82-87
<b>INSTALLATION GUIDES</b>	Pages 88-97
Paving Stones	Page 88
Patterns & Borders	Pages 89-93
Chateau Wall™	Pages 94
Modular Retaining Wall	Page 95
Murata™	Pages 96-97
<b>ACCESSORIES</b>	Pages 98
<b>SPECIFICATIONS</b>	Pages 99-103
Standard Finishes & Thicknesses	Page 105
Maintenance	Page 106






Camino Stone Jamestown Blend

# PAVING STONES

PAVING STONES



Leiden Collection Cambridge Blend



Largo 18" Jamestown Blend



Villa Stone Cambridge Blend

# Villa Stone™



SMOOTH

This sturdy paver is a vibrant modern classic! Villa Stone is long and narrow; made in a plank style. It's smooth, beveled surface pairs well with contemporary designs. With a thickness of 100mm, Villa stone is made to stand the weight of traffic and is a uniquely modern option for your landscape.



**DESIGN TIP:** Villa Stone now features a new modern micro chamfer for a cleaner, crisper look.



**Villa Stone**  
445x75x100mm • 17.52x2.95x3.94"


PAVING STONES



Charcoal



Cambridge Blend



Pewter



Jamestown Blend



Leiden Cambridge Blend

PAVING STONES

## Leiden Collection



SMOOTH

This family of stones was inspired by art. The Dutch city of Leiden that this collection is named after was where the geometric De Stijl art movement was born. Not surprisingly, the most popular display of the Leiden collection is the geometric five-stone pattern or the random layout. This stone family is a unique favorite!



**PRO TIP:** While the Leiden Collection is available as separate pieces, we've also added a new mold layout that gives you several pattern modules for the Five Stone pattern on each layer. If you're laying this pattern, make it easier and ask for this version.

**Leiden 5-Stone layer layout**



**Cambridge Blend**



**Charcoal**  
(Only sold individually)



**Arena**  
300x300x60mm • 11.81x11.81x2.36"



**Plaza**  
300x200x60mm • 7.87x11.81x2.36"



**Park**  
200x200x60mm • 7.87x7.87x2.36"



**Holland**  
200x100x60mm • 7.87x3.94x2.36"



**Half Holland**  
100x100x60mm • 3.94x3.94x2.36"



Leiden Jamestown Blend



Leiden Jamestown Blend

PAVING STONES



Leiden Cambridge Blend



Jamestown Blend



Pewter  
(Only sold individually)



Leiden Cambridge Blend



Double Park Jamestown Blend

PAVING STONES

# Double Park™



Larger format, modern looking pavers are on trend right now. So to answer market demand, we've taken one of our perennial favorites, Park Stone™, and doubled it. The resulting plank style stone works well by itself in a running bond, or herringbone pattern. It also adds a sixth size to our Leiden Collection for greater versatility. Most amazingly, when combined with our Half Holland Stone, the Double Park makes a beautiful basketweave mosaic pattern. It's orientation in the mold makes for dramatic lengthways color striping for maximum drama.



**Double Park**  
400x200x60mm • 15.75x7.87x2.36"



**DESIGN TIP:** The added length of the Double Park stone makes it an excellent border stone for patios with long straight sides. Because it has fewer joints, it makes for a stronger edge. Plus, it covers a lot of linear feet quickly!



Cambridge Blend



Charcoal



Jamestown Blend



Pewter



Double Park Pewter & Charcoal w/Half Holland Cambridge Blend



Double Park Jamestown Blend



Double Park Cambridge Blend

PAVING STONES



Double Park Cambridge Blend



Arena Stone Charcoal w/City Square Pewter

PAVING STONES

# Arena Stone



Arena Stone has a contemporary smooth, flat top with a beveled edge. Its large 12"x12" size covers a lot of surface area with ease. Arena Stone is part of the Leiden five-stone paver collection that also includes Park, Plaza, Holland and Half Holland stones. It also pairs really well with our 6"x6" City Square in a 1:2 ratio for a beautiful linen pattern. You can mix and match to create the look you want for enduring appeal.



**Arena Stone**  
300x300x60mm • 11.81x11.81x2.36"




Cambridge Blend



Jamestown Blend



Charcoal



Pewter



Park & Plaza Stone Cambridge Blend

# Park & Plaza Stone




**SMOOTH**

One of our perennial favorites, Park and Plaza Stone have a flat top with a beveled edge providing a measured contemporary look. With color combinations keyed to styles popular here in the Northwest, Park and Plaza Stone are sure to please. Park and Plaza stone are part of the Leiden five-stone paver collection that also includes Arena, Holland and Half Holland stones. You can mix and match to create the look you want for enduring appeal.



**DESIGN TIP:** Park, Plaza, and Holland are also available in Pewter to allow you to make straight edges with Double Park without cuts.



**Park**

200x200x60mm • 7.87x7.87x2.36"



**Plaza**

300x200x60mm • 11.81x7.87x2.36"



**Cambridge Blend**



**Charcoal**



**Jamestown Blend**



**Pewter**



Holland Stone Charcoal (w/custom tinted sealer)

PAVING STONES

# Holland & Half Holland Stone



**SMOOTH**

At home both at a Victorian style mansion and a modern flat. Its traditional rectangular brick shape can be used in historical and contemporary applications alike. Holland Stone's striking colors, available surfaces, and modular size allow it to be used in multiple design variations for almost any purpose. Holland and Half Holland Stone are part of the Leiden five-stone paver collection that also includes Arena, Park and Plaza stones.



**Holland**  
200x100x60mm • 7.87x3.94x2.36"



**Half Holland**  
100x100x60mm • 3.94x3.94x2.36"



**DESIGN TIP:** The vivid colors of the solid Holland Stones makes it an excellent accent stone for borders, headers or detail bands. Combine Holland Stone with any of our 60mm stones to add elegance and personality.



**PRO TIP:** Holland Stones are also available in a 80mm thickness, which is suitable for heavy commercial traffic. *(This product is non-stock)*



**Boston Blend**  
*(not stocked in Half Holland)*



**Cambridge Blend**



**Charcoal**



**Jamestown Blend**



Holland Stone Charcoal



PAVING STONES

Holland Stone Cambridge Blend w/Charcoal border



Holland Stone Charcoal w/Desert Tan border



Pewter



Half Holland Stone Charcoal & Pewter

# La Lastra



La Lastra™ Cambridge Blend

PAVING STONES

## La Lastra™



**SMOOTH**

**!** Special installation procedure required.  
See [www.westerninterlock.com/products/la-lastra](http://www.westerninterlock.com/products/la-lastra)

La Lastra™ is a three-piece paving stone family that all module off of a base of 18 and 24 inches. The flat surface, beveled edge and elegant proportions of these generously sized stones are perfect for use in social spaces. La Lastra™ brings unique size and a sleek, modern touch to our growing family of paving stones.



**DESIGN TIP:** For a visually varied layout, try using all three sizes of La Lastra™ laid in a random, irregular layout. To achieve randomness, make sure that four corners never come together. This will result in a layout that is truly random. Rotate each stone 90° to vary the direction of the blend



**DESIGN TIP:** Large pavers can make the most of a small space. With fewer joint lines, larger slabs create an illusion that a space is bigger than it really is.



**Large Square**  
606x606x50mm • 24x24x1.97"



**Large Rectangle**  
606x453x50mm • 24x18x1.97"



**Medium Square**  
453x453x50mm • 18x18x1.97"



**Breitenbush Blend**  
(Special order ONLY)




**Cambridge Blend**






La Lastra™ Pewter



La Lastra™ Jamestown Blend



La Lastra™ Cambridge Blend

PAVING STONES



Jamestown Blend



Pewter



Charcoal



Largo 18" Jamestown Blend

PAVING STONES

# Largo 18™



Introducing Largo Stone™, a large, modern paver with a classic 2:1 brick aspect ratio. Its smooth finish, beveled edges, and 60mm thickness make it ideal for both classical and contemporary designs. Compatible with other smooth finish pavers like the Leiden Collection, Largo Stone™ meets the demand for bigger, bold paving options. We're excited for you to try it!



**Largo 18™**  
920x460x60mm • 36.25x18.125x2.36"




**DESIGN TIP:** Large pavers can make the most of a small space. With fewer joint lines, larger slabs create an illusion that a space is bigger than it really is.



Cambridge Blend



Charcoal




Jamestown Blend



Pewter



Largo 18" Jamestown Blend



Largo 18" Umbria Blend (special order ONLY)



Largo 18" Cambridge Blend

PAVING STONES



Largo 18" Pewter

La Pietra™ Moderna Cambridge Blend

PAVING STONES

## La Pietra™ Moderna



**SMOOTH**



Special installation procedure required.  
See [www.westerninterlock.com/products/la-pietra-moderna/](http://www.westerninterlock.com/products/la-pietra-moderna/)

La Pietra™ Moderna's smooth finish pairs well with our other smooth stones such as Holland or our Leiden collection. Like these other stones, La Pietra™ Moderna also has a bevel on the edge, but we've made it slightly wider to balance it with the larger size.



**DESIGN TIP:** La Pietra™ Moderna is now available individually which opens up a whole bunch more pattern options for this stone. Visit our website to see more.



Cambridge Blend



Jamestown Blend



**Grande**  
530x530x60mm • 21x21x2.36"



**Large Rectangle**  
530x350x60mm • 21x14x2.36"



**Medium Square**  
350x350x60mm • 14x14x2.36"



**Small Rec**  
350x175x60mm • 14x7x2.36"



**Small Square**  
175x175x60mm • 7x7x2.36"



La Pietra™ Moderna Jamestown Blend



La Pietra™ Moderna Jamestown Blend


PAVING STONES



La Pietra™ Moderna Cambridge Blend



**Columbia Blend**  
(NOT sold individually)



**La Pietra™ Moderna**  
**Quattro layer layout**



La Pietra™ Moderna Umbria Blend (special order only)



Milana Moderna™ Cambridge Blend

PAVING STONES

# Milana Moderna™



A larger format driveway paver offering a sleek, contemporary vibe. For this paver, we've taken the module of our Alpine Stone and added the smooth surface and bevel from our popular Leiden Collection. The result is a contemporary, slightly larger format, but still sturdy paver that's suitable for heavier vehicular traffic. We've also bumped up the spacer bars to allow for the use of modern wet-sweep joint sands.



**DESIGN TIP:** You can mix up textures by combining the rippled surface of Milana with the smooth surface of the Milana Moderna.



Cambridge Blend



Jamestown Blend



**Large Square**  
330x330x80mm • 12.99x12.99x3.12"



**Large Rec**  
330x220x80mm • 12.99x8.66x3.12"



**Medium Square**  
220x220x80mm • 8.66x8.66x3.12"



**Small Rec**  
220x110x80mm • 8.66x4.33x3.12"




Milana Moderna™ Cambridge Blend



Milana Moderna™ Cambridge Blend

PAVING STONES



Milana Moderna™ Jamestown Blend



**Charcoal**

(only stocked in Small Rec)



Milana Moderna Charcoal Small Recs



City Square Charcoal

PAVING STONES

# City Square



**SMOOTH**


This modern paver feels just like downtown. Petula Clark said that the lights are brighter downtown, and City Square is a paver that is right at home there. It is medium in size and contemporary in style with a flat, smooth top. The City Square makes an excellent border stone, and also pairs nicely with our Arena Stone in a 1:2 ratio.



**City Square**  
150x150x60mm • 5.9x5.9x2.36"



Charcoal



Pewter





Holland Slimline Jamestown Blend

# Holland Slimline





SMOOTH

The versatile shape of Holland is now available in a slimline profile. It is a great value alternative, as an option for overlays where height is a concern, or for use in pedestrian areas that will never see vehicular traffic. Holland Slimline also makes an excellent border for our Cobble Slimline.



**Holland Slimline**  
200x100x40mm • 7.87x3.94x1.57"

PAVING STONES

 **WARNING:** Slimline stones are intended to be used for pedestrian traffic ONLY.



**Charcoal**



**Jamestown Blend**



**Pewter**



Roma Stone Pewter

PAVING STONES

# Roma Stone™



COBBLED

TEXTURED

Our new Roma Stone™ blends timeless aesthetics with robust performance. With its organic shapes, Roma Stone™ gives pathways, patios, and driveways a very special, natural charm while allowing rainwater to pass through. Each layer contains 12 distinct shapes and sizes in varying quantities for maximum creative options.



Roma Stone™  
Various Sizes x 60mm



**NOTICE:** This product sold by the layer only. Take this into consideration when ordering materials.



**DESIGN TIP:** Lay it right side up for a true cobblestone look, or lay it upside down for a more contemporary look. Roma Stone™ can also be tumbled for a roca finish.



**PRO TIP:** We recommend installing Roma Stone™ with SEK X-treme Wide Joint, EasyJoint, or 1/4"-10 gravel.



Cambridge Blend



Charcoal



Jamestown Blend



Pewter



Roma Stone™ Charcoal



Roma Stone™ Pewter



Roma Stone Jamestown Blend & Charcoal custom blended

PAVING STONES



Roma Stone Cambridge Blend & Charcoal custom blended



Milana Stone™ Jamestown Blend

PAVING STONES

## Milana Stone™



**TEXTURED**

This just might be the ultimate driveway paver! We've taken the module of our Alpine Stone and added the rippled surface from our Roma Stone. The result ended up looking pretty much exactly like the ancient stones on the streets of old-town Milan. We've also bumped up the spacer bars to allow for the use of modern wet-sweep joint sands.



**PRO TIP:** To prevent surface damage when compacting textured stones, use a protective pad between the plate compactor and the paving stones.



**DESIGN TIP:** You can mix up textures by combining the rippled surface of Milana with the smooth surface of the Milana Moderna.



Cambridge Blend



Jamestown Blend



**Large Square**

330x330x80mm • 12.99x12.99x3.12"



**Large Rec**

330x220x80mm • 12.99x8.66x3.12"



**Medium Square**

220x220x80mm • 8.66x8.66x3.12"



**Small Rec**

220x110x80mm • 8.66x4.33x3.12"



Milana Stone™ Cambridge Blend



Milana Stone™ Charcoal




Milana Stone™ Jamestown Blend

PAVING STONES



**Charcoal**  
(only stocked in Small Rec)



Milana Stone™ Cambridge Blend



Cobble Park & Plaza Jamestown Blend

PAVING STONES

# Cobble Park & Plaza Stone



Cobble Park and Plaza Stone have rounded edges with a flat top, giving them the look of a vintage European cobblestone street and a softer worn look than the tumbled Roca. They are available in a broad variety of colors and are part of a paver system that includes Cobble Park, Cobble Plaza, and Cobble Rotundo Stones. Using Cobble Park and Plaza, you can create a look with enduring appeal.



**Cobble Park**  
200x200x60mm • 7.87x7.87x2.36"



**Cobble Plaza**  
300x200x60mm • 11.81x7.87x2.36"



Cambridge Blend



Charcoal



Columbia Blend



Jamestown Blend



Cobble Park & Plaza Cambridge Blend



PAVING STONES

Cobble Park & Plaza Stone Jamestown Blend



Cobble Park & Plaza Jamestown Blend



Cobble Park & Plaza Cambridge Blend



Camino Stone Jamestown Blend

# Camino Stone



Camino Stone is available in three sizes, with a traditional cobble finish and many color choices that give this stone an exciting array of possibilities. Its old-world charm and vivid pattern combinations lend themselves well to beautiful project designs, making it one of our most popular stones.

**DESIGN TIP:** The Camino Stone Small Rec can be laid by itself as a great cobbled alternative to our Holland Stone. It also makes an interesting three stone pattern when laid with the other Camino Stones, as well as a complementary single, double or triple border.

**DESIGN TIP:** Camino Stone Small Rec is only stocked in Cambridge Blend, Charcoal, Columbia Blend and Jamestown Blend. Keep this in mind when designing your project.



**Large Rec**  
240x160x60mm • 9.45x6.30x2.36"



**Square**  
160x160x60mm • 6.30x6.30x2.36"



**Small Rec**  
160x120x60mm • 6.30x4.72x2.36"  
*(Stocked in Cambridge Blend, Charcoal, Columbia Blend, and Jamestown Blend)*



Boston Blend



Britewood Blend




Cambridge Blend



Charcoal



Camino Stone Cambridge Blend



PAVING STONES

Camino Stone Britewood Blend w/Charcoal Camino Border



Camino Stone Boston Blend



Columbia Blend



Jamestown Blend



Pewter



Umbria Blend  
(Special order ONLY)



Cobble Rotundo Stone Jamestown Blend

# Cobble Rotundo Stone



**COBBLED**

Cobble Rotundo Stone is a circle system that works as either a beautiful stand-alone circular patio or an intriguing inlaid pattern with other pavers. Cobble Rotundo Stone has an intriguing, slightly rippled cobblestone surface and comes in a variety of colors. Imagine all of the creative ways that this striking paver can be added to your landscape, whether it's a complete circle, curved steps or inlaid fans.



**NOTICE:** This product sold by the layer only. Take this into consideration when ordering materials.



X-Small



Center



Small



Medium



Large



Rectangle



**Britewood Blend**  
(Special order ONLY)




**Cambridge Blend**



**Columbia Blend**



**Jamestown Blend**




Cobble Rotundo Stone Cambridge Blend

### 12 LAYER CIRCLE KIT

<b>Diameter</b>	3.8m (12.5')
<b>Area</b>	11.34m <sup>2</sup> (122.67 ft <sup>2</sup> )
<b>Circumference</b>	11.93m (39.14')
<b>Height</b>	60mm (2.36')

### LAYOUT OF LAYERS ON PALLET



1 Layer = 1 Center, 1 X-Small, 2 Small, 13 Medium, 11 Large, 9 Rectangle

### NUMBER OF STONES NEEDED TO COMPLETE CIRCLE ROWS

Row	Stones Required	Diameter
<b>Circle Row 0:</b>	2 Center Stones	8" Diameter <sup>1</sup>
<b>Circle Row 1:</b>	8 X-Small Stones	23 5/8" (1.97') Diameter <sup>2</sup>
<b>Circle Row 2:</b>	16 Small Stones	39 3/8" (3.28') Diameter <sup>2</sup>
<b>Circle Row 3:</b>	32 Medium Stones	55 1/8" (4.59') Diameter <sup>2</sup>
<b>Circle Row 4:</b>	43 Medium Stones	70 7/8" (5.91') Diameter <sup>2</sup>
<b>Circle Row 5:</b>	40 Large Stones	86 5/8" (7.22') Diameter <sup>2</sup>
<b>Circle Row 6:</b>	48 Large Stones	102 3/8" (8.53') Diameter <sup>2</sup>
<b>Circle Row 7:</b>	33 Medium & 33 Rectangle	118 1/8" (9.84') Diameter <sup>3</sup>
<b>Circle Row 8:</b>	38 Medium & 38 Rectangle	133 7/8" (11.16') Diameter <sup>4</sup>
<b>Circle Row 9:</b>	37 Large & 37 Rectangle	149 5/8" (12.47') Diameter <sup>4</sup>

<sup>1</sup> Requires 2 layers on pallet

<sup>2</sup> Requires 8 layers on pallet

<sup>3</sup> Requires 9 layers on pallet

<sup>4</sup> Requires 12 layers on pallet



**DESIGN TIP:** Rotundo Stone is also available in a SMOOTH finish to match our Leiden Collection and La Pietra™ Moderna. This is stock item and there is not any sort of special fees associated with it.

If you desire, you can also get Cobble Rotundo Stone in a RUSTIC tumbled Roca finish. This is a non-stock, special order item and fees will apply.



Cobble Rotundo Stone Columbia Blend



Cobble Slimline Jamestown Blend

PAVING STONES

# Cobble Slimline



Cobble Slimline has a traditional soft-edged, old-world look. Its thinner profile is a great solution for overlays where height is a concern, or for areas which will never receive vehicular traffic. Cobble Slimline is an economical alternative to our regular paver line. Its two available sizes give it a myriad of pattern options.



**Large Rec**  
210x140x40mm • 8.27x5.51x1.57"



**Square**  
140x140x40mm • 5.51x5.51x1.57"

**!** **WARNING:** Slimline stones are intended to be used for pedestrian traffic ONLY.



**Charcoal**  
(only stocked in Large Rec)



**Cambridge Blend**



**Columbia Blend**



**Jamestown Blend**

Western Interlock products are made from natural materials and due to variables in the photographic reproduction process, the actual color of the products may vary slightly. For a truly accurate representation, we invite you to stop by any of our retail facilities to see them in person.



Cobble Slimline Jamestown Blend



Cobble Slimline Jamestown Blend



Cobble Slimline Columbia Blend

PAVING STONES



Cobble Slimline Jamestown Blend



Roca Camino Stone Cambridge Blend

PAVING STONES

# Roca Camino Stone



**RUSTIC**

Roca Camino Stone offers a unique surface treatment produced by individually tumbling the stones. The broken edge and ruggedly elegant profile of Roca Camino Stone are available in an array of colors. Available in three sizes, and capable of multiple pattern combinations, this stone is filled with old-world charm that lends itself well to beautiful designs.



**PRO TIP:** Roca stones are intended to be installed as shipped on the pallet. To ensure the desired look, do not turn the stones over when laying them.



**Large Rec**  
240x160x60mm • 9.45x6.30x2.36"



**Square**  
160x160x60mm • 6.30x6.30x2.36"



**Small Rec**  
160x120x60mm • 6.30x4.72x2.36"



**Cambridge Blend**



**Charcoal**  
(only stocked in Large Rec)



**Columbia Blend**



**Jamestown Blend**



Roca Camino Stone Columbia Blend



PAVING STONES

Roca Camino Stone Cambridge Blend



Roca Camino Stone Jamestown Blend



Roca Camino Stone custom mix of Jamestown and Columbia Blends



Roca Park, Plaza & Holland Stone Jamestown Blend

# Roca Park, Plaza & Holland Stone



**RUSTIC**

Roca Park, Plaza and Holland Stones offer a unique surface treatment produced by individually tumbling the stones. All three shapes have a broken edge with ruggedly appealing looks and are available in an array of colors. By combining Roca Park and Roca Plaza with Roca Holland and Roca Half Holland stones, you can lay custom four stone blends to create interesting and unique designs.



**PRO TIP:** Roca stones are intended to be installed as shipped on the pallet. To ensure the desired look, do not turn the stones over when laying them.



**DESIGN TIP:** Roca Park & Plaza are also available in Charcoal for borders and inlay designs.



**Roca Park**  
200x200x60mm • 7.87x7.87x2.36"



**Roca Plaza**  
300x200x60mm • 11.81x7.87x2.36"



**Holland & Half Holland Roca Finish**  
*(only stocked in Charcoal)*



**Cambridge Blend**



**Charcoal**  
*(NOT stocked in Park Stone)*



**Columbia Blend**



**Jamestown Blend**




Roca Park & Plaza Stone Jamestown Blend



Roca Park & Plaza Stone Columbia Blend

PAVING STONES



Roca Park & Plaza Cambridge Blend



Roca Park & Plaza Cambridge Blend



Cima Stone™ Jamestown Blend

PAVING STONES

# Cima Stone™



**TEXTURED**

Cima Stone™ offers a natural flagstone look in 11 sizes, including five innovative half-hex stones that reduce cutting and ensure seamless installation. With false joints and an irregular shape, it mimics weathered stone, adding depth and character to any outdoor space. Ideal for patios, walkways, and driveways, Cima Stone™ enhances your landscape with an organic, elegant aesthetic.



**NOTICE:** This product sold by the layer only. Take this into consideration when ordering materials.



**PRO TIP:** The fine detail on the surface of the stone is very susceptible to damage from compactors. To eliminate the possibility of surface damage, do not compact Granite Stone without the use of a protective pad.



**Cima Stone™**  
Various Sizes



**Cambridge Blend**



**Columbia Blend**



**Jamestown Blend**



Cima Stone™ Columbia Blend



Cima Stone™ Jamestown Blend



Cima Stone™ Columbia Blend

PAVING STONES



Cima Stone™ Cambridge Blend

Granite Stone Cambridge Blend

# Granite Stone


**TEXTURED**

With our Granite Stone pavers, our goal is to bring a rugged granite look to the comfort of your own backyard. In order to transfer the fine texture of the granite on to the paving stone, we digitized a piece of actual stone, copying its surface exactly. The resulting fine surface texture closely resembles the original stone but is less aggressive than our other textured stones, Milana Stone™ and La Pietra™. Get the natural stone look you love, but in a uniform size and shape for easy laying.



**PRO TIP:** The fine detail on the surface of the stone is very susceptible to damage from compactors. To eliminate the possibility of surface damage, do not compact Granite Stone without the use of a protective pad.


**Cambridge Blend**

**Charcoal**

(NOT available in Granite Arena Stone & Granite Half Holland Stone)


**Granite Arena**

300x300x60mm • 11.81x11.81x2.36"


**Granite Plaza**

300x200x60mm • 11.81x7.87x2.36"


**Granite Park**

200x100x60mm • 7.87x3.94x2.36"


**Granite Holland**

200x100x60mm • 7.87x3.94x2.36"


**Granite Half Holland**

100x100x60mm • 3.94x3.94x2.36"



Granite Stone Cambridge Blend



Granite Stone Cambridge Blend

PAVING STONES



Granite Stone Jamestown Blend



Columbia Blend



Jamestown Blend



**PRO TIP:** Granite Stone is available as individual pieces, and we also offer a mold layout with built-in Five Stone pattern modules on each layer. If you're using this pattern, save time and ask for this version.

**Granite Stone 5-Stone Layer Layout**

A	A	A	A
H	H	HH	H
PK	PK	HH	PK
PL	PL	PL	PL

# La Pietra



La Pietra™ Jamestown Blend

PAVING STONES

## La Pietra™



**TEXTURED**



Special installation procedure required.  
See [www.westerninterlock.com/products/la-pietra-quattro](http://www.westerninterlock.com/products/la-pietra-quattro)

La Pietra™ is naturally elegant and eye-catching! The textured surface treatment and generally larger sizes of La Pietra™ replicate the look of natural slab Pennsylvania bluestone. This family of slabs consists of five basic sizes that all module off of a base of 7, 14 and 21 inches. The unique size and texture of La Pietra™ is another exciting option in our growing family of paving stones.



**DESIGN TIP:** La Pietra™ is now available individually which opens up a whole bunch more pattern options for this stone, visit our website to see more.



Breitenbush Blend



Cambridge Blend



**Grande**

530x530x60mm • 21x21x2.36"



**Large Rectangle**

530x350x60mm • 21x14x2.36"



**Medium Square**

350x350x60mm • 14x14x2.36"



**Small Rec**

350x175x60mm • 14x7x2.36"



**Small Square**

175x175x60mm • 7x7x2.36"



La Pietra™ Breitenbush Blend



La Pietra™ Cambridge Blend



La Pietra™ Jamestown Blend


PAVING STONES



Columbia Blend



Jamestown Blend



La Pietra™ Quattro  
layer layout



Park Permeare Charcoal & Pewter

PERMEABLE PAVERS

# PERMEABLE PAVERS

Permeable pavers come in all shapes and sizes. Currently, we have five permeable paving stone options, and while they're available in a myriad of textures, and colors, each is designed to allow water to permeate directly into the ground.

There is a misconception that permeable pavers work by allowing water through the paver itself. This is not true. The water goes in through wide, specially-prepared joints. All of our pavers are very dense, which prevents water from entering the stone itself. Additionally, instead of packing a multi-layered sand and gravel base as you would when installing standard pavers, you lay down layers of various sized open-graded rock so water will drain through the pavers and into the soil. For more information, visit [www.westerninterlock.com/what-are-permeable-pavers](http://www.westerninterlock.com/what-are-permeable-pavers)



**PERMEABLE:** Look for this logo to choose a Permeable Paver for your next job.






Camino Permeare Jamestown Blend


# Camino Permeare




**Special installation procedure required.**  
 See [www.westerninterlock.com/products/camino-permeare](http://www.westerninterlock.com/products/camino-permeare)

Camino Permeare combines a unique look that resembles the look of old European city streets, but with water permeable joints. It is visually similar to our popular Camino Stone family that also includes the standard Camino Stone as well as the Roca Camino Stone. Camino Permeare is 6.25% open on average.


**DESIGN TIP:** Camino Permeare can be used as a visually similar drainage option with our standard Camino Stones. They will *not* directly interface with standard Camino Stones.


**PRO TIP:** Permeable Pavers require a properly installed base for them to work correctly.



**Camino Permeare Large Rec**  
 240x160x60mm • 9.45x6.30x2.36"  
 (5.8% open)



**Camino Permeare Square**  
 160x160x60mm • 6.30x6.30x2.36"  
 (6.7% open)



Cambridge Blend



**Charcoal**  
 (Only available in Large Recs)



Columbia Blend



Jamestown Blend

PERMEABLE PAVERS



Trio Permeare Cambridge Blend w/Charcoal and Pewter

PERMEABLE PAVERS

# Trio Permeare

**SMOOTH** **Special installation procedure required.**  
See [www.westerninterlock.com/products/trio-permeare](http://www.westerninterlock.com/products/trio-permeare)

Trio Permeare is made with a slick contemporary look that is similar to our Leiden with the strength and functionality of a permeable paving stone system. This is a multi-stone product using our Plaza, Park and Holland module with larger spacer bars. Trio Permeare is great for any project, from driveways to walkways, and everywhere in between.

**PRO TIP:** Permeable Pavers require a properly installed base for them to work correctly.



**Large Rec**  
300x200x80mm • 11.81x7.87x3.12"



**Square**  
200x200x80mm • 7.87x7.87x3.12"



**Small Rec**  
200x100x80mm • 7.87x3.94x3.12"



Columbia Blend



Jamestown Blend



Pewter



Park Permeare & Holland Permeare Columbia Blend

# Holland & Park Permeare

**Special installation procedure required.**  
 See [www.westerninterlock.com/products/park-permeare](http://www.westerninterlock.com/products/park-permeare)

Holland & Park Permeare combine timeless versatility with contemporary design in a permeable paving system. Holland Permeare offers a classic rectangular brick shape, while Park Permeare is a square. Designed with modular sizing, Holland & Park Permeare work seamlessly together, allowing both products to be used directly alongside one another for cohesive, flexible design possibilities.

**DESIGN TIP:** Holland Permeare and Park Permeare can be used as a visually similar drainage option with our standard Park, Plaza and Holland stones. They will *not* directly interface with standard Park, Plaza and Holland stones.

**PRO TIP:** Holland Permeare is also available in a non-stock commercial grade 80mm thickness. Each layer is prearranged in the Herringbone pattern for easy machine laying.



**Park Permeare**  
 200x200x60mm • 7.87x7.87x2.36"  
 (5.9% open)



**Holland Permeare**  
 200x100x60mm • 7.87x3.94x2.36"  
 (8.7% open)

PERMEABLE PAVERS



**Charcoal**  
 (also available in 80mm)



**Columbia Blend**



**Jamestown Blend**  
 (also available non-stock in 80mm)



**Pewter**  
 (also available non-stock in 80mm)

# VS-5™ Drain Pave



**!** Special installation procedure required.  
[www.westerninterlock.com/products/vs-5-drain-pave](http://www.westerninterlock.com/products/vs-5-drain-pave)

VS-5™ Drain Pave offers a solid surface that is similar to a standard paving stone, while still maintaining an extremely high level of water drainage. Designed for vehicular traffic, it has a series of anti-shift grooves on the bottom of each stone. VS-5™ Drain Pave works well with 80mm Park and Holland Stones.

**PRO TIP:** Permeable Pavers require a properly installed base for them to work correctly.



**VS-5™ Drain Pave**  
198x198x88mm • 7.80x7.80x3.46"  
(10% open)

PERMEABLE PAVERS



# Turf Stone



Preserving green space, reducing storm run-off and erosion control are the primary uses for Turf Stone. The stone is designed to provide 60% concrete surface with 40% open area. The open spaces, when filled, allow ample space for planting grass or similar ground cover. Turf Stone is perfect for the natural look of lawn with the hard wearing qualities of concrete.



**Turf Stone**  
600x400x80mm • 23.62x15.75x3.12"  
(40% open)

**PRO TIP:** Turf Stone is designed to be laid with the scored side facing up.






Murata™ Cambridge Blend

# RETAINING WALLS



Chateau Wall™ Cambridge Blend w/Charcoal Chateau Diviso Cap



Tegula Garden Wall™

# Chateau Wall™



Chateau Wall™ Cambridge Blend

RETAINING WALLS

## Chateau Wall™



**RUSTIC**

**!** Special installation procedure required. See page 94 for more details.

Chateau Wall™ opens new horizons in free-standing garden wall and small retaining wall options. Each individual block is treated to give it a rustic look that fits in with the natural Northwest landscape. Available in four sizes and several colors that coordinate well with all our pavers, Chateau Wall's options are endless. Chateau Wall™ is now available as Chateau Moderna™, a non-tumbled finish for a crisp contemporary look.



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



Breitenbush Blend



Cambridge Blend



**100**  
200x100x100mm • 7.87x3.94x3.94"



**200**  
200x200x100mm • 7.87x7.87x3.94"



**Bevel**  
196x198x136x100mm  
7.72x7.80x5.35x3.94"



**300**  
300x200x100mm • 11.81x7.87x3.94"



**400**  
400x200x100mm • 15.75x7.87x3.94"



Chateau Wall™ Sandstone & Columbia Blends custom mixed



Chateau Wall™ Columbia Blend



Chateau Wall™ Cambridge Blend

RETAINING WALLS



Charcoal



Columbia Blend



Sandstone Blend  
(Special order ONLY)



Chateau Moderna™ Cambridge Blend

RETAINING WALLS

## Chateau Moderna™



**SMOOTH**

**!** Special installation procedure required. See page 94 for more details.

Chateau Moderna™ distills the proven functionality of the classic Chateau Wall™ into a refined, contemporary form. Clean lines and a smooth surface lend it a distinctly modern presence, equally at home in minimalist gardens or deeply layered outdoor spaces. Available in a range of popular colors to integrate seamlessly with the tones of your home.



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



Cambridge Blend



Charcoal



**100**  
200x100x100mm • 7.87x3.94x3.94"



**200**  
200x200x100mm • 7.87x7.87x3.94"



**300**  
300x200x100mm • 11.81x7.87x3.94"



**400**  
400x200x100mm • 15.75x7.87x3.94"



Chateau Moderna™ Cambridge Blend



Chateau Moderna™ Cambridge Blend



Chateau Moderna™ Cambridge Blend

RETAINING WALLS



**Bevel**  
196x198x136x100mm  
7.72x7.80x5.35x3.94"



**Columbia Blend**



Chateau Moderna™ Cambridge Blend



Chateau Diviso™ Cambridge Blend

RETAINING WALLS

# Chateau Diviso™



RUSTIC

TEXTURED

! Special installation procedure required. See page 94 for more details.

The rough-hewn split face of Chateau Diviso™ adds a new level of texture to the lineup. Use as a stand-alone block or as an accent with regular Chateau Wall™. Mix it in randomly, or create ribbons of color and texture, your options are limitless. The beveled piece allows you to create curved features, while the corner blocks make columns and corners a snap. The optional cap allows you to finish off your project with a flourish.

! **NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



Cambridge Blend



Olympian Blend



**Diviso 200**  
200x200x100mm • 7.87x7.87x3.94"



**Diviso 300**  
300x200x100mm • 11.81x7.87x3.94"



**Diviso 300 Corner**  
300x200x100mm • 11.81x7.87x3.94"



**Diviso 400**  
400x200x100mm  
15.75x7.87x3.94"



Chateau Diviso™ Olympian Blend



RETAINING WALLS

Chateau Diviso™ Olympian Blend



Chateau Diviso™ Cambridge Blend



**Diviso Column Cap**  
600x600x80mm  
23.62x23.62x3.15"



**Diviso Cap**  
317.8x278x180.2x80mm  
12.51x10.94x7.09x3.15"



**Diviso Bevel**  
297.7x198x200x100mm  
11.72x7.80x7.87x3.94"



Chateau Diviso™ Olympian Blend



Tegula Garden Wall™ Columbia Blend

RETAINING WALLS

# Tegula Garden Wall™



Tegula Garden Wall™ features an old stone look that goes perfectly with the Northwest landscaping style. You can create a variety of free-standing garden walls or small set-back retaining walls, punctuated with optional columns for an attractive finishing touch. Tegula Garden Wall™ can be capped with our Roca Park Stone, Roca Plaza Stone, or Chateau Wall™ blocks.

**!** **NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



244x180x160mm • 9.61x7.09x6.30"



**Bevel**  
177x190x127x160mm • 6.97x7.48x5x6.30"



**Tegula™ Assembly Device**



**Cambridge Blend**



**Columbia Blend**



**Sandstone Blend**  
(Special order ONLY)

### Rounded Corners

Tegula™ Bevel makes tight radius corners easier to build.






Tegula Garden Wall™ Cambridge Blend



Tegula Garden Wall™ Sandstone Blend (special order ONLY)



RETAINING WALLS

Tegula Garden Wall™ Columbia Blend



Tegula Garden Wall™ Sandstone Blend (special order ONLY)



Gradino™ Radius Charcoal

RETAINING WALLS

# Gradino™ Radius



**TEXTURED**



**Special installation procedure required.**  
See page 95 for more details.

When you think “retaining wall block” this is it. Gradino™ Radius is a standard 6x16 split-face wall block like you know and love. We’ve added a heavier color loading to our block for more dramatic color blending. The colors are also made to the same recipes as our other products so they’ll match exactly. If you want a matching cap, our Versa-Cap is a great choice!



**Gradino™ Radius**  
406x305x152mm • 15.98x12.01x5.98"



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



Cambridge Blend



Charcoal



Olympian Blend



Pewter



Gradino™ Radius Pewter w/Charcoal cap



Gradino™ Radius Olympian Blend



Gradino™ Radius Charcoal

RETAINING WALLS



Gradino™ Radius Olympian Blend



Gradino Wall™ Pewter

RETAINING WALLS

# Gradino™ Wall



**TEXTURED**



Special installation procedure required.  
See page 95 for more details.

Just like Gradino™ Radius, our Gradino™ Wall is a standard 6×16 split-face wall block, but with a straight face. With the same heavy color loading and the same recipes as our other products, they'll match exactly. If you want a matching cap, our Versa-Cap is a great choice!



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



**Gradino™ Wall**  
406x305x152mm • 15.98x12.01x5.98"



**Gradino™ Wall Half Block**  
203x305x152mm • 7.99x12.01x5.98"



Cambridge Blend



Charcoal



Olympian Blend



Pewter



Gradino Wall™ Cambridge Blend



Gradino Wall™ Olympian Blend



Gradino Wall™ Pewter

RETAINING WALLS



**Umbria Blend**  
(Special order ONLY)



Gradino Wall™ Pewter



Gradino™ Step Block Olympic Blend

RETAINING WALLS


# Gradino™ Step Block



Gradino™ Step Blocks are designed to make step building as quick and as easy as possible. With a rough-hewn split face, Gradino™ Step Blocks match really well with our Jumbo Nursery Wall and our Chateau Diviso blocks.



**Gradino™ Step Block**  
406x305x152mm • 15.98x12.01x5.98"



**Charcoal/Pewter**



**Cambridge Blend**



**Olympian Blend**



**Umbria Blend**  
(Special order ONLY)



Versa-Cap™ Pewter

# Versa-Cap™




**TEXTURED**

Versa-Cap will fit any standard 12" deep retaining wall block. It has a split face and comes in colors that match most of the block on the market.



**Versa-Cap™**  
457x330x80mm • 17.99x12.99x3.15"


RETAINING WALLS



**Charcoal**



**Olympian Blend**



**Pewter**



**MURATA**  
RETAINING WALL SYSTEM



Murata Wall™ Cambridge Blend

RETAINING WALLS

# Murata™ Retaining Wall System



**SMOOTH**



Special installation procedure required.  
For more details, see pages 96-97 or go to [muratawall.com](http://muratawall.com)

Murata™ is a modular retaining wall which utilizes a rear locating lip for easy assembly. It has a tight, crisp surface finish with strong straight lines and dramatic color blending. The complete system includes some unique corner blocks, which allow you to create columns and posts; along with a dedicated step and post caps. Its high PSI density gives it a high strength-to-weight ratio, as well as excellent color retention.



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



Cambridge Blend



Olympian Blend



rear tab detail

**Standard**

400x295x200mm • 15.75x11.61x7.87"



no rear tab

**Variable**

400x295x200mm • 15.75x11.61x7.87"



**Solido**

400x295x200mm • 15.75x11.61x7.87"



**Solido Corner**

400x200x200mm • 15.75x7.87x7.87"

Murata™ Retaining Wall System from Western Interlock. (US Patents #D867,620 S, #D900,341 S, #10,532,488 B2, #D844, 857 S)



**ZERO WALL FAILURES**



Murata™ Pewter



Murata™ Olympian Blend




Murata™ Olympian Blend

RETAINING WALLS



Pewter



Wall Drain Pro®  
Black, Gray





Murata™ Cambridge Blend




Murata™ Split Block Olympic Blend

RETAINING WALLS

# Murata™ Split Block


**SMOOTH**  Special installation procedure required. For more details, see pages 96-97 or go to [muratawall.com](http://muratawall.com)

Murata™ Split Block reimagines the familiar utility of the original Murata™ wall system with a rustic split face introduces depth and variation, extending its versatility across both contemporary and more traditional landscapes. Beneath the surface, it retains the performance that defines the line: high strength, enduring color, and an intuitive, stackable design that makes installation easier.



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.



rear tab detail

**Standard Split**  
 400x295x200mm • 15.75x11.61x7.87"



**Corner Split**  
 400x200x200mm • 15.75x7.87x7.87"



Cambridge Blend



Olympian Blend



Pewter



Murata™ Cappello Charcoal

# Murata™ Cappello

 **SMOOTH**

Murata™ Cappello caps are designed to work with the Murata™ retaining wall system. However, they also make a beautiful cap for any of our other wall systems. For instance, Murata™ Cappello 600x600mm column cap fits perfectly on a 20" Chateau Wall™ column.

## Wall Caps



**MC4035 Cappello**  
400x350x80mm • 15.75x13.78x3.15"



**MC8035 Cappello**  
800x350x80mm • 31.5x13.78x3.15"

## Column Caps



**MC6060 Cappello**  
600x600x80mm • 23.62x23.62x3.15"



**MC7070 Cappello**  
700x700x80mm • 27.56x27.56x3.15"



**Charcoal**



**Pewter**



Murata™ Step Block Pewter

RETAINING WALLS

# Murata™ Step Block



We've made building steps even cleaner with Murata™ Step, part of the Murata™ family of blocks. Its 7" rise and 16" run make building steps quick and easy, while the 36" and 48" widths fit most applications with little to no cutting. Each block is extremely heavy, so we recommend setting them with at least a two-man clamp or slung from a piece of machinery.



**Murata™ Step Block 36**  
914x406x174.6mm • 36x16x6.875"



**Murata™ Step Block 48**  
1219x406x174.6mm • 48x16x6.875"



Charcoal



Pewter





# MagnumStone®



**TEXTURED**



Special installation procedure required.  
 For more details, go to [westerninterlock.com](http://westerninterlock.com)

MagnumStone® is the perfect solution for any retaining wall or gravity wall needs. The hollow core makes these stones easy to cut, add special lighting, or place fence posts into when adding creative details. Pair MagnumStones with any of our MagnumStone® Gravity Retaining Wall Extenders to reduce the massive footprint of traditional cantilevered gravity retaining walls and give yourself greater use of land above the wall. Or, use Geogrid to reinforce the soil mass behind the MagnumStone® units to create tall retaining wall systems.



Pewter



**Standard Block**  
 24"x48"x26"



**Standard Base Block**  
 24"x48"x26"



**Standard Top Block**  
 24"x48"x26"



**NOTICE:** Walls exceeding four (4) feet in total height typically require engineering in accordance with locally adopted codes. Permitting or engineering may also be required for walls under four (4) feet based on site conditions. All product information and installation guidelines are provided for general reference only and are not a substitute for site-specific engineering or code compliance.

# MONACO COPING



Monaco™ Coping Charcoal



Monaco™ Coping Cambridge Blend

RETAINING WALLS

## Monaco™ Coping

 **SMOOTH**

It works great for pool edges, steps, accent ribbons, and wall caps; basically anywhere that you want a clean, rounded edge.

It is a standard 305mm (12") length, but it's a little wider at 150mm(5.9"). We've made the height 60mm to match up perfectly with our standard thickness paving stones.

We stock Monaco in solid Charcoal and in Cambridge Blend, which are some of our most popular colors.



**Monaco™ Coping**  
305x150x60mm • 12x5.9x2.36"



Cambridge Blend



Charcoal



Pewter



## FIRE PITS & FIREPLACES





Tegula Garden Wall™ Fire pit Kit Columbia Blend

# Tegula Garden Wall™ Fire Pit Kit



**RUSTIC**

If you're looking for a smaller sized fire pit, this one is a favorite. The Tegula Fire Pit Kit includes beveled pieces for quick and easy installation with no cutting. This kit makes it possible to build a backyard fire pit in an afternoon. Its 40" outside diameter tucks into smaller spaces, making it ideal for almost anywhere.



**DESIGN TIP:** Tegula fire pits are available in all of the same colors as our regular Tegula block as seen on page 58.



Tegula Garden Wall™ Small Fire Pit Kit  
40" outside diameter\*



Tegula Garden Wall™ Fire Pit Kit Cambridge Blend  
(shown w/custom Charcoal ribbon)





Chateau Wall™ Fire Pit Kit Charcoal

# Chateau Wall™ Fire Pit Kit



**RUSTIC**

Add ambiance to your backyard with this easy-to-assemble fire pit. This kit includes beveled pieces to eliminate cutting, assembles with glue, and is a super quick way to add warmth to your backyard. It comes with a rustic tumbled finish, a 50" outside diameter, and in several different color options.



**DESIGN TIP:** Chateau fire pits are available in all of the same colors as our regular Chateau Wall™ block as seen on page 52-53.



Chateau Wall™ Medium Fire Pit Kit  
50" outside diameter

FIRE PIT KITS





Chateau Wall™ Moderna Fire Pit Kit Cambridge Blend (shown as part of the Outdoor Oasis kit)

## Chateau Moderna™ Fire Pit Kit



SMOOTH

Our Chateau Moderna™ fire pit kits have a crisp, contemporary finish that matches our smooth pavers and retaining walls. They have a 50" outside diameter, and come in several different color options.



**DESIGN TIP:** Chateau Moderna fire pits are available in all of the same colors as our regular Chateau Moderna™ block as seen on page 54-55.



Chateau Wall™ Medium Fire Pit Kit  
50" outside diameter



Chateau Wall™ Moderna Fire Pit Kit Cambridge Blend w/ Monaco™ cap & Breeo smokeless insert



Chateau Diviso Fire Pit Kit Cambridge Blend w/Charcoal Monaco Coping cap

# Chateau Diviso™ Fire Pit Kit



RUSTIC

TEXTURED

Chateau Diviso™ firepits are the perfect way to add some ambiance to your backyard setting and ward off the chill of cool evenings. The rough-hewn split face of Chateau Diviso™ adds visual texture, and the four available colorways are sure to enhance your outdoor living area year round.



Chateau Diviso™ Fire Pit Kit

50" outside diameter\*

(available with matching color or Charcoal cap layer)

FIRE PIT KITS



Cambridge Blend w/Charcoal Cap



Cambridge Blend w/Cambridge Cap



Olympian Blend w/Olympian Cap



Olympian Blend w/Charcoal Cap



Textured Fire Pit Cap Charcoal

# Fire Pit Caps



SMOOTH

RUSTIC

Enhance your Chateau™, Chateau Diviso™ or Chateau Moderna™ fire pit with our new wetcast caps, available in both elegant bullnose coping and rugged textured profiles. Designed for a perfect fit and lasting durability, these caps add a refined finishing touch to your outdoor space.



Coping Fire Pit Cap



Textured Fire Pit Cap



Charcoal





Deschutes Fireplace Kit Charcoal

# Deschutes Fireplace Kit

 **RUSTIC**


The Deschutes River flows right through the center of the state of Oregon, and just like its namesake, this fireplace deserves center stage. A perfect DIY kit, the Deschutes fireplace can easily be assembled in a weekend or less, comes in all the standard Chateau Wall™ colors, and the eye-catching results are well worth the effort.

## DESCHUTES FIREPLACE KIT

- Chateau Wall™ 300mm
- Chateau Wall™ 200mm
- Chateau Wall™ 100mm
- SEK Surebond adhesives
- Masonry shims
- Fire brick
- Deschutes Hearth
- Deschutes Trim (for firebox)
- Angle iron support
- Deschutes Chimney Cap

## DESCHUTES WOODBOX KIT (optional)

- Chateau Wall™ 300mm
- Chateau Wall™ 200mm
- SEK Surebond glue
- Deschutes Woodbox Cap



**Deschutes Fireplace Kit**  
 42x44x80" (as shown)  
 75x44x80" (w/ woodbox)  
 Kit shown in Columbia Blend



**PRO TIP:** Want to build a Deschutes fireplace yourself? Watch a step-by-step video here:





Rogue Fireplace Kit Cambridge Blend (shown with optional woodbox)

# Rogue Fireplace Kit



**RUSTIC**


Go Rogue with our large fireplace kit with multiple woodbox options. Choose from the five Chateau Wall™ colors for your kit. Fireplaces can be constructed in a weekend or less. Each kit comes complete with adhesives, fire brick, spark arrestor and Chateau™ blocks. Thorough instructions are provided with each kit for easy assembly!

## ROGUE FIREPLACE KIT

- Chateau Wall™ 300mm
- Chateau Wall™ 200mm
- Chateau Wall™ 100mm
- SEK Surebond glue
- Masonry Shims
- Fire Brick
- Rogue Hearth
- Rogue Trim (for firebox)
- Angle Iron Support
- Rogue Chimney Cap

## ROGUE WOODBOX KIT

- (optional)*
- Chateau Wall™ 300mm
  - Chateau Wall™ 200mm
  - SEK Surebond glue
  - Deschutes Woodbox Cap



**Rogue Fireplace Kit**  
 110x51x88" (as shown)  
 47x51x88" (w/o woodboxes)  
 Kit shown in Breitenbush Blend



Chateau Moderna™ Deschutes Fireplace Kit Cambridge Blend (shown with custom Chateau Diviso™ decorative band)

# Chateau Moderna™ Fireplace Kits

 **SMOOTH**

Want a fireplace that matches your clean contemporary landscape design? Look no further than our Chateau Moderna™ fireplace kits. This finish is available in both our Deschutes and Rogue fireplace sizes, so there's sure to be one that fits your space.

## DESCHUTES FIREPLACE KIT

- Chateau Wall™ 300mm
- Chateau Wall™ 200mm
- Chateau Wall™ 100mm
- SEK Surebond adhesives
- Masonry shims
- Fire brick
- Deschutes Hearth
- Deschutes Trim (for firebox)
- Angle iron support
- Deschutes Chimney Cap

## DESCHUTES WOODBOX KIT

- (optional)
- Chateau Wall™ 300mm
  - Chateau Wall™ 200mm
  - SEK Surebond glue
  - Deschutes Woodbox Cap

## ROGUE FIREPLACE KIT

- Chateau Wall™ 300mm
- Chateau Wall™ 200mm
- Chateau Wall™ 100mm
- SEK Surebond glue
- Masonry Shims
- Fire Brick
- Rogue Hearth
- Rogue Trim (for firebox)
- Angle Iron Support
- Rogue Chimney Cap

## ROGUE WOODBOX KIT

- (optional)
- Chateau Wall™ 300mm
  - Chateau Wall™ 200mm
  - SEK Surebond glue
  - Deschutes Woodbox Cap



**Rogue Fireplace Kit**  
110x51x88" (as shown)  
47x51x88" (w/o woodboxes)  
Kit shown in Cambridge Blend

**Deschutes Fireplace Kit**  
42x44x80"  
75x44x80" (w/ woodbox)

**Chateau**  
MODERNA™

FIRE FEATURES



# INSPIRATION GALLERY

---






La Lastra™ Cambridge Blend



La Lastra™ Pewter



La Lastra™ Cambridge Blend



INSPIRATION GALLERY

Custom Holland Stone



Roca Holland Stone



Leiden Jamestown Blend



Granite Stone Cambridge Blend



Largo 18" Pewter



Camino Stone Columbia Blend



La Pietra™ Moderna Cambridge Blend



Camino Stone Columbia Blend

INSPIRATION GALLERY



Chateau Wall™ Breitenbush Blend



Leiden Cambridge Blend



INSPIRATION GALLERY

Holland Stone Charcoal



Leiden Cambridge Blend



Holland Permeare Pewter



INSPIRATION GALLERY



# Paving Stone Installation

Western Interlock paving stones are easily installed by homeowners. No prior experience is needed, just careful work and attention to detail. The following list of tools will make your project possible and enable you to create the long lasting results you desire:

- Shovel
- Rubber Mallet
- Stakes
- String Line
- Hand Tamper
- Plate Compactor
- 6' Level, laser level or transit



**NOTICE:** These instructions are for pedestrian applications. Vehicular applications require a more extensive base construction. Visit our website for more details.

## MATERIALS NEEDED:

**Gravel base:**  $\frac{3}{4}$ " minus crushed rock; typically 4"-6" of compacted base should be used for pedestrian traffic, or 6"-12" for vehicular or industrial traffic. When using a 4" base, 1 yard of gravel will cover 80 square feet.

**Bedding Sand:** Coarse concrete sand is recommended. A uniform depth of 1" of sand is recommended. 1 yard of sand covers 200 square feet.


**Pavers:** Determine the total square footage of your project (length x width = square feet) adding 5-10% for cuts and extra pavers that might be needed later. To estimate the number of pieces you will need, multiply the square footage by the pieces per square foot. (Square foot x Pieces per square foot = Total number of pavers needed) You can find the data on pages 78-79.

**Edge Restraint:** All exposed edges (not up against a permanent structure) must be restrained. Measure the linear feet of all exposed edges to determine the amount of edge restraint needed.

## INSTALLATION:


1. Measure and stake the desired area you intend to pave. Mark the outline of your project with stakes every 4-6" and at each corner; these stakes should be 6" outside of the edge of the planned area. Tie a string line at the level you want your finished project height.
2. Excavate 4"-6" beyond finished size, remove any loose dirt or sod to a minimum of 5"-6" below the finished grade (8" or more for vehicular traffic). This makes room for 3"-6" of compacted gravel, 1" of sand and 2  $\frac{3}{8}$ " paving stones. The more time and effort you put into your base preparation, the better your paving stone project will look.
3. Compact sub-grade, backfill with crushed  $\frac{3}{4}$ " minus aggregate and compact again. Slope and grade are important for proper drainage. Assure a minimum of  $\frac{1}{8}$ " per foot drop, not to exceed  $\frac{1}{2}$ " per foot. When finished with the base, it should be smooth and flat and reflect the final grade of your pavers.
4. Lay screed rails (1" outside diameter pipe or square tube) as guides, spread sand between rails and then use a straight wood 2" x 4" crossway to spread sand smooth and level to an even 1" depth. Remove the rails and fill in the voids left by the guides with sand and trowel smooth by hand or with the backside of a push broom. Don't walk on or compact the sand.
5. Determine your laying pattern. Starting in a square corner with a permanent edge, lay paving stones down lightly on the sand bed. Install rows of pavers, checking with a string line every 4 feet or so, across the front of the laying edge to maintain a straight line. Stones may be marked with a wax crayon, and cut with a diamond blade wet saw (recommended), a diamond blade for a skill saw or a stone splitter. Try to keep cut pieces along the edges to a size of at least half of a full-size paving stone.
6. Install plastic edge restraint (or similar product) along edges that are not up against a permanent structure. Edge restraint should rest on the compacted aggregate base and contain the sand and maintain the position of the paving stone.
7. Sweep pavers clean prior to compacting. Using a vibratory plate compactor, set the stones into the sand base. Start along the outside edge and work toward the center. This will level your paving stone project.
8. After compacting, sweep paver joints full of concrete sand and compact again.

*Typical Cross Section of Sand Set Paver Installation*




# Installation Patterns

There are many patterns that you can use in the installation of paving stones. We have provided some basic patterns below. Keep in mind that many of the paving stone families have multiple stone sizes that module together, expanding your creative options. Patterns are for design inspiration only. Any percentages listed are approximate. The installer is responsible to calculate and purchase the correct amount of material.




## Two Stone Running Bond:

Works with any stone that has more than one size it can module with (*typical ratio 60% rectangles, 40% squares*)



## Three Stone Running Bond:

Works with any stone that has more than two sizes it can module with (*typical ratio 46% large rectangles, 31% squares, 23% small rectangles*)




## Herringbone 90 Degree:

Works with any rectangle stone (*100% one stone*)


# Installation Patterns

---




## Muster K (I pattern):

Works with any stone that has a rectangle and square module units (*typical ratio 73% rectangles, 27% squares*)



## Three Stone I Pattern:

Works with Camino Stones (*37% large rectangles, 27% squares, 36% small rectangles*)




## Five Stone Pattern:

Works with Granite Stone and Leiden (*41% Arena, 27% Plaza, 18% Park, 9% Holland, 5% Half Holland*)


# Installation Patterns

---



## Brickweave Pattern:

Works with Park & Holland Stone and Park Permeare & Holland Permeare (50% Park, 50% Holland)




## Three Stone Pattern:

Works with Arena, Park & Plaza Stone (granite or flat top finish) (53% Arena, 12% Park, 35% Plaza)

# Random Layout

---

The secret to laying a truly random layout is to never let four corners come together. If you end up with four corners meeting, simply swap out one of the stones for a stone with a different shape.




## Five Stone Random Layout:

Works with any stone combination that has five sizes that module together (*La Pietra™* shown - ratios will vary)  
*Paving Stone and Retaining Wall Systems Made for the Northwest.* **91**

# Border Patterns


---

There are two excellent reasons to add a paver border to your hardscape: enhance the design and tie in your field stones. There are two main design aspects to consider: color and pattern. Regarding color, you'll want to select either a consistent border or a contrast border. Regarding patterns, you'll have to consider if you wish to lay a soldier course or a sailor course.




## **Soldier Course:**

This border is achievable with any rectangle stone like Holland, Plaza, Camino Large Rec and Camino Small Rec.



## **Sailor Course**

This border is achievable with any rectangle stone like Holland, Plaza, Camino Large Rec and Camino Small Rec.



## **Double Sailor Course**

This border is achievable with any rectangle stone like Holland, Plaza, Camino Large Rec and Camino Small Rec.



BORDERS



# Chateau Wall™ Installation

Chateau Wall™ is an easy to use wall system that utilizes four different sized units which can be used individually or in combination. This unique product can be used for retaining walls, fences, columns and steps to produce a very unique satisfying project.

## BASIC GRAVITY WALL INSTALLATION:

### 1. Planning Your Project

Prepare a layout for your Chateau Wall™ project on paper. Projects that retain soil and are over 36" high should be engineered. Determine the face square feet of wall and any columns you will have. When calculating wall face square footage, remember that you will have at least the first layer of block buried below the finished soil grade. Decide which block sizes you want to use, and then calculate the quantity of each product size you need. Also consider the type of caps you would like to use. Mark out on the ground the parameters of the project. Use a string line to lay out long straight areas of the project, and to help with curves, use a garden hose or PVC pipe.

### 2. Preparing the Base

Excavate the soil 10"-12" below grade and at least 4" wider on each side than the blocks you are laying. Refer to the installation diagrams for details and better understanding on varied types of projects. With unstable soils, increase the depth of excavation as required to allow for a deeper base. Place ODOT ¾"-0 gravel into the excavation area to a minimum depth of 6" and level it. Next, compact the gravel with a hand tamper or plate compactor. Make sure that you have a minimum of 12" of excavation behind the wall for gravel back fill. This may need to be increased, depending on soil type.

### 3. Positioning the Bottom Course

Set the bottom course of block at the desired position on top of the prepared gravel. Using a large rubber mallet and a level, adjust the block until it is level, end to end, and front to back. Set the adjacent blocks in the same manner, using a string line or a level to keep long runs straight and flat.


### 4. Building and Backfilling

Place two ¾" beads of Western Interlock approved flexible construction adhesive on top of the base course. Set the next course of block on top of the adhesive, offsetting the joints between the blocks on each consecutive course, and continue in this manner along the entire length of the wall. Retaining walls require a set back of ¾" per course to obtain the necessary set back angle. Accomplish this by using a square ¾" piece of wood or a tape measure to


space each block back the required amount. Continue this process one layer at a time until the desired height is obtained. Retaining walls require backfill of ODOT ¾"-0 gravel to within 6" of the finish height. Backfill and compact behind each course as the wall is built. Use a masonry saw to make any necessary cuts.

### 5. Finishing the Wall

The Chateau Wall™ does not require a separate cap. However, depending on the look desired, there are several options available. Any of the Western Interlock paving stones that have a width of 8" or more can be used, as well as Chateau Wall™ 300s turned sideways. If you want a cleaner look, Murata™ Cappello make perfect caps for Chateau Wall™. Large Murata™ Cappello post caps for columns are also available, along with precast textured post caps.



*Battered Gravity Retaining Wall*



*Free-standing 20" Column*

# Modular Retaining Wall Installation\*

Modular retaining walls are easy, do-it-yourself retaining walls. Here are some helpful hints to enable you to achieve the results you desire in a retaining wall project. For more assistance, contact our knowledgeable office staff.

## INSTALLATION:

**\*General installation guidelines apply to all lip-type retaining walls such as: Gradino™ Wall, Slope Block™, Nursery Stone™ and Jumbo Nursery Stone™.**

### 1. Planning Your Project

Prepare a layout for your modular retaining wall project. To help plan the number of blocks you will need for your project, multiply the face area times pieces per square foot to figure the number of blocks required. For help measuring curves, lay a garden hose along the proposed length of your wall; then straighten it out and measure its length.

### 2. Preparing the Base

Excavate the soil in the location where the retaining wall is to be, assuring adequate space on the rear side of the wall for gravel backfill. The amount of gravel fill will vary on application, but should not be less than 12". Dig a trench for the first course of stone 30" wide by 12" deep. Fill the first 6" of the trench with ODOT ¾"-0 gravel and compact well, making sure that the gravel is level. Place filter fabric against the back wall of the excavation. (Refer to the diagrams)

### 3. Positioning the Bottom Course

Set the bottom course of block at the desired position on top of the prepared gravel. Using a large rubber mallet and a level, adjust the block until it is level, end to end, and front to back. Set the adjacent blocks in the same manner, using a string line or a level to keep long runs straight and flat.

### 4. Building and Backfilling


Set the next course, making sure that the joints do not line up with the previous course. Back fill with ODOT ¾"-0 gravel and compact again before setting the next course. Place all the remaining courses until the wall has reached your desired height. Use the compacted gravel back fill to keep it straight by tamping lightly behind the rear of the stones, maintaining the same vertical angle from top to bottom.

### 5. Finishing the Wall

Set the top course and back fill to within 3" of the top. Finish back fill area with soil to the desired height. The top course can either be held in place by gravity, or fixed with an approved flexible adhesive. Modular walls can be capped off with Murata™ Cappello, Arena Stone, or any wetcast caps if desired.

## IMPORTANT NOTES:

- A drainage pipe should be used as shown in illustrations to prevent a problem with excessive water in the retained area.
- The standard wall angle set back is 12°. If a different angle is required, then the angle the first course is set at must be adjusted to accommodate the different angle. This angle is maintained as the following courses of stone and gravel are placed.
- Engineering is required on walls over 36" high. Call manufacturer for details.
- Cutting may be necessary for 90 degree corners and possible to maintain the batter on the different courses.



# Murata™ Battered Wall Installation

The Murata™ retaining wall system's advantages are that it is made with hollow dry cast units that can be carried without special equipment. The self-aligning tabs allow for highly accurate and quick installation. When the blocks are installed, the hollow cells are filled with select granular fill<sup>1</sup> which then results in a heavier in-place block to resist soil forces.

The initial cost of the Murata™ retaining wall system is competitive with other wall systems and is significantly less than most conventional concrete walls. The lasting aesthetics and structural durability of the concrete Murata™ retaining wall system makes it a cost-effective solution when life-cycle costs are considered.

## INSTALLATION:




### 1. Wall Design Considerations

Before using Murata™ to build a wall, the following design considerations must be made (*Diagram A*):

- For a typical landscape wall the total wall height must not exceed 48" (1.2 m).
- If a toe slope is present, the bottom of the wall should not be above the finished grade at a distance of 48" (1.2 m) in front of the wall.
- The embedment height needs to be a minimum of 6" (152mm) below the ground surface.
- The length of the reinforcing geogrid needs to be a minimum of 48". Geogrid length is measured from the face of the wall.

### 2. Excavation and Preparing the Base

Check the location of existing structures and utilities before starting the excavation. Excavate the soil in the location where the retaining wall is to be constructed, assuring at least 48" of space on the rear side of the wall for gravel backfill<sup>1</sup>. Dig a trench for the leveling base that is at least 24" wide by 12" deep. Fill the trench with select granular fill<sup>1</sup> to a depth of 6" (150mm) and compact well with a plate compactor or jumping jack in 2" lifts, making sure that each layer is level. The plate compactor must weigh at least 250lbs. (*Diagram 1*) Install a minimum of a 4" perforated drain pipe in the rear of the excavation. Make sure that the drain pipe is sloped at a minimum 0.5% and empty to daylight at 50' maximum intervals, draining into a storm sewer or along a slope below the reinforced soil mass. Widen the excavation as required to maintain drain slope (*See diagram 1*).



<sup>1</sup> Select granular fill must meet the ODOT ¾"-0 or ⅝"-0 WSDOT specification. More details available upon request.

### 3. Positioning the Bottom Course

Set the bottom course of block, utilizing the Murata™ Variable block, at the desired position on top of the prepared select granular fill<sup>1</sup> leveling base. Using a large rubber mallet and a level, adjust the block until it is level, end to end, front to back, and in full contact with the leveling base (*Diagram 2*). Set the adjacent blocks in the same manner, using a string line or a level to keep long runs straight and flat; ensuring that there is no space between adjacent blocks.

### 4. Backfilling and Geogrid




Place a layer of non-woven geotextile filter (TerraTex® N06 or equivalent) against the rear wall of the excavation, starting at the top of the leveling base and extending up to the top of the excavation. Do not install the geotextile filter below the structural foundation. Make sure that there is enough filter fabric to lay over the top of the backfill to keep topsoil from filtering down. Completely fill the block cavity and backfill with select granular fill<sup>1</sup> in maximum lifts of 4". Compact both thoroughly using lightweight compaction equipment that will not disrupt the stability or batter of the wall. Before setting the next course, cover the previous course of blocks and the backfill gravel with geogrid (StrataGrid® SGU80 or equivalent). Pay attention to the geogrid's reinforcement direction and make sure that it is perpendicular to the wall face. The minimum reinforcing length of the geogrid is 48" (*Diagram A*) and must be continuous. Splicing of the geogrid in the main reinforcing direction is not permitted. Follow geogrid manufacturer's guidelines for overlap requirements.

### 5. Subsequent Courses

Lay the next course of blocks and fill block cores with compacted select granular fill<sup>1</sup> to lock in place, making sure to wrap the geogrid slightly around the lip of the block (*Diagram 3*). A running bond pattern is the preferred method of block placement. The center of the current course should align with the seam between two blocks on the lower course. For optimum strength, maintain light tension on the geogrid by using stakes or pins. Place all the remaining courses backfilling the wall every 8" (one block height), and placing a reinforcing geogrid as outlined in Step 4 (*Diagram 4*).

### 6. Finishing the Wall

Set the top course and backfill to within 3" of the top. Fold the filter fabric (GF) over the top of the backfill. Finish backfill area with topsoil to the finished grade (*Diagram 5*). The top course or cap can either be held in place with an approved flexible adhesive (Flex-Bond SB20 or equivalent). Murata™ walls can be capped with the Murata™ MC4035 or MC8035 Cappello caps. Columns can be capped with either the MC6060 or MC7070 Cappello caps.



# Polymeric Joint Sand

Every paving stone project needs some kind of sand to stabilize the joints. While you can use dry sweeping sand, for the best long term results, we recommend using a polysand.



**Alliance Gator Dust®**  
Sahara Beige,  
Stone Grey



**Alliance Gator Polymeric Sand & Dust Super Sand®**  
Sahara Beige,  
Slate Grey



**Dyna® Optimax Sand**  
Absolute Black,  
Granite Gray,  
Quartz Beige



**PolySweep X-treme Wide Joint Polymeric Sand**  
Tan, Gray, Platinum,  
Black



**Learn More About Polysand**

# Sealers

Sealing is an essential step because, not only does it make your hardscape look beautiful, sealing makes it easier to maintain and will increase its life. We recommend solvent-based sealers like SB-8700 for best results in our wet Pacific Northwest environment.



**Invisible Penetrating Sealer**  
SB-4400 Matte Finish  
(solvent based)



**Antifungal Sealer**  
SB-7700 Satin Finish  
(water based)



**Wet Look Joint Stabilizing Sealer**  
SB-8700 Gloss Finish  
(solvent based)



**Wet Look Sealer**  
SB-9000 Gloss Finish  
(solvent based)



**Learn More About Sealer**

ACCESSORIES

# Edge Restraint

One of the most vital parts of any paving stone project is edge restraint. We recommend using one of these options for best results.



**Perma Pak Paver Edging®**



**Snap-Edge®**



**Quick-E-Hybrid HD Edging®**

# Efflorescence

Efflorescence is a whitish powder-like deposit, common on concrete and masonry products, that normally will disappear over time with weathering. Although it may present an aesthetic concern, efflorescence will not affect the structural performance of pavers or wall systems. With proper maintenance, efflorescence can be removed and the original color restored. Through manufacturing techniques, we attempt to reduce the likelihood of efflorescence.



# Paving Stone Specifications

Paving Stones	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
<b>Arena Stone</b> <i>(Standard, Granite)</i>	12	9	108	1.03	11.63	104.5	28	3024	3024
<b>Camino Stone Large Rec</b>	25	10	250	2.42	10.33	103.3	11	2750	2750
<b>Camino Stone Square</b>	35	10	350	3.63	9.64	96.4	8	2800	2800
<b>Camino Stone Small Rec</b>	49	9	441	4.84	10.12	91.1	6	2646	2646
<b>City Square</b>	42	9	378	4.13	10.17	91.5	8	3024	3024
<b>Cima Stone</b>	11	9	99	varies	10.2	91.8	varies	2430	2430
<b>Double Park</b>	12	9	108	1.16	10.33	93	23	2484	2484
<b>Leiden/Granite 5-Stone</b>	22	10	220	n/a	10.33	103.3	n/a	2920	2920
<b>Holland Stone</b> <i>(Standard, Roca, Granite)</i>	48	9	432	4.65	10.33	93	6	2592	2592
<b>Half Holland</b> <i>(Standard, Roca, Granite)</i>	88	5	440	9.29	9.47	47.35	3	264	1320
<b>La Lastra Large Square</b>	2	9	18	0.25	8	72	94	1692	1944
<b>La Lastra Medium Square</b>	4	9	36	0.44	9	81	54	1944	2556
<b>La Lastra Large Rec</b>	4	9	36	0.33	12	108	71	2556	1344
<b>La Pietra Grande</b>	2	8	16	0.33	6.12	49	84	1344	1814.4
<b>La Pietra Large Rec</b>	4	8	32	0.49	8.16	65.3	56.7	1814.4	1824
<b>La Pietra Medium Square</b>	6	8	48	0.74	8.16	65.3	38	1824	1824
<b>La Pietra Small Rec</b>	12	8	96	1.47	8.16	65.3	19	1824	1824
<b>La Pietra Small Square</b>	24	8	192	2.94	8.16	65.31	9.5	1824	1680
<b>La Pietra Moderna Grande</b>	2	10	20	0.33	6.12	61.2	84	1680	2260
<b>La Pietra Moderna Large Rec</b>	4	10	40	0.49	8.16	81.6	56.5	2260	2280
<b>La Pietra Moderna Medium Square</b>	6	10	60	0.74	8.16	81.6	38	2280	2280
<b>La Pietra Moderna Small Rec</b>	12	10	120	1.47	8.16	81.6	19	2280	2280
<b>La Pietra Moderna Small Square</b>	24	10	240	2.94	8.16	81.6	9.5	2280	2656
<b>La Pietra Quattro</b> <i>(Textured, Moderna)</i>	12	8	96	n/a	11.9	95.2	n/a	2656	2656

# Paving Stone Specifications

Paving Stones	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
Largo 18	2	8	16	0.22	9.12	73	122	1995	1995
Milana Large Square <i>(Textured, Moderna, 80mm)</i>	6	8	48	0.85	7.06	56.5	41	1968	1968
Milana Large Rec <i>(Textured, Moderna, 80mm)</i>	12	8	96	1.28	9.38	75	26	2496	2496
Milana Medium Square <i>(Textured, Moderna, 80mm)</i>	20	8	160	1.92	10.42	83.35	17.5	2800	2800
Milana Small Rec <i>(Textured, Moderna, 80mm)</i>	35	8	280	3.84	9.11	72.9	8.3	2324	2324
Park Stone <i>(Standard, Roca, Cobble, Granite)</i>	24	9	216	2.32	10.33	93	12	2592	2592
Plaza Stone <i>(Standard, Roca, Cobble, Granite)</i>	18	8	144	1.55	11.63	93	18	2592	2592
Roma Stone	40	9	360	n/a	10.2	91.8	n/a	2178	2178
Cobble Rotundo Stone <i>(Standard, Cobble)</i>	37	9	333	n/a	11.5	103.5	n/a	2844	2844
Cobble Slimline Large Rec <i>(40mm)</i>	30	9	270	3.16	9.49	85.4	6	1620	1620
Cobble Slimline Square <i>(40mm)</i>	48	12	576	4.74	10.13	121.5	4	2304	2304
Holland Slimline <i>(40mm)</i>	45	12	540	4.55	9.89	118.68	4	2160	2160
Villa Stone <i>(100mm)</i>	28	5	140	2.78	10.07	50.35	16	2240	2240
Permeable Pavers	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
Permeare Camino Square	35	10	350	3.63	9.64	96.4	8	2800	2800
Permeare Camino Rec	25	10	250	2.42	10.33	103.3	11	2750	2750
Permeare Holland Stone	54	9	486	4.56	11.85	106.6	5.6	302	2750
Permeare Park Stone	24	9	216	2.32	10.33	93	12	2592	2592
Turf Stone <i>(80mm)</i>	4	5	20	0.38	10.32	82.6	73	292	1456
VS-5™ Drain Pave <i>(88mm)</i>	20	6	120	2.35	8.61	51.7	16	320	1920
Trio Permeare	24	8	96	N/A	10.33	82.6	n/a	442	3536
Holland Permeare <i>(80mm)</i>	48	8	384	4.56	10.33	82.6	8.22	442	3536
Turf Stone <i>(80mm)</i>	4	7	28	.38	10.4	72.8	58	406	1624

SPECIFICATIONS

# Retaining Wall Specifications

Wall Blocks	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
Chateau Wall™ (200mm)	30	5	150	4.66	6.45	32.24	19	570	2850
Chateau Wall™ (300mm)	20	5	100	3.1	6.45	32.24	28.5	570	2850
Chateau Wall™ (400mm)	15	5	75	2.33	6.45	32.24	38	570	2850
Chateau Wall™ Beveled	36	5	180	4.66	6	30	16	448	2260
Chateau Diviso™ (200mm)	30	5	150	4.66	6.45	32.24	19	570	2850
Chateau Diviso™ (300mm)	20	5	100	3.1	6.45	32.24	28.5	570	2850
Chateau Diviso™ (400mm)	15	5	75	2.33	6.45	32.24	38	570	2850
Chateau Diviso™ Beveled	16	5	80	3.1	5.16	30	16	448	2260
Chateau Moderna™ (100mm)	60	5	300	9.3	6.45	32.24	9.5	570	2850
Chateau Moderna™ (200mm)	48	3	144	4.66	10.3	30.9	19	912	2736
Chateau Moderna™ (300mm)	32	3	96	3.1	10.3	30.9	28.5	912	2736
Chateau Moderna™ (400mm)	24	3	72	2.33	10.3	30.9	38	912	2736
Chateau Moderna™ Beveled	28	3	140	4.66	6	30	16	448	2260
Gradino Wall	9	6	54	1.5	6	36	64	576	3456
Gradino™ Wall Half Block	16	5	80	3	30	32	44	704	3520
Gradino Radius Face	9	6	54	1.5	6	36	64	576	3456
Jumbo Nursery	9	6	54	1.5	6	36	57	513	3078
Nursery Stone	16	6	96	3	5.33	32	18	288	1750
Murata Split Face	9	5	45	1.15	7.8	39	60	545	2730
Murata™ MS4020 Standard	8	5	40	1.15	7	35	60	480	2426
Murata™ MV4020 Variable	8	5	40	1.15	7	35	60	480	2400
Murata™ Solido Corner	12	3	36	1.15	10.4	31	83	996	2990
Murata™ Solido	8	3	24	1.15	6.4	19.2	112	940	2820

# Retaining Wall Specifications

Wall Blocks	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
Slope Block	12	4	48	2.08	5.78	23.1	60	124.8	2880

Tegula/Tegula Beveled	30	3	90	2.35	12.77	38.3	33	990	2970
-----------------------	----	---	----	------	-------	------	----	-----	------

Cap Stones	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Linear Foot	Linear Foot/ Layer	Linear Foot/ Pallet	Lbs/pcs	Lbs/Linear Foot	Lbs/ Pallet
------------	------------	----------------	-------------	-----------------	--------------------	---------------------	---------	-----------------	-------------

Chateau Diviso™ Cap	12	7	84	1.2	n/a	n/a	26	312	2184
---------------------	----	---	----	-----	-----	-----	----	-----	------

Chateau Diviso™ Column Cap	2	5	10	n/a	n/a	n/a	130	260	1300
----------------------------	---	---	----	-----	-----	-----	-----	-----	------

Jumbo Cap Stone	9	8	72	0.77	7.5	55	40	30.8	2880
-----------------	---	---	----	------	-----	----	----	------	------

Nursery Cap Stone	16	6	96	1.09	17.44	88	21	22.9	2000
-------------------	----	---	----	------	-------	----	----	------	------

Murata™ MC4035 Cappello	6	5	30	0.76	7.88	39.4	52.5	39.9	1584
-------------------------	---	---	----	------	------	------	------	------	------

Murata™ MC8035 Cappello	3	5	15	0.38	7.88	39.37	105	40	1560
-------------------------	---	---	----	------	------	-------	-----	----	------

Murata™ MC6060 Cappello	2	5	10	n/a	n/a	n/a	136	n/a	1360
-------------------------	---	---	----	-----	-----	-----	-----	-----	------

Murata™ MC7070 Cappello	1	5	5	n/a	n/a	n/a	180	n/a	900
-------------------------	---	---	---	-----	-----	-----	-----	-----	-----

Monaco™ Coping	40	4	160	2.03	20.3	81.2	13	26.39	2120
----------------	----	---	-----	------	------	------	----	-------	------

Versa-Cap™	6	8	48	0.81	4	38.9	47	32	2300
------------	---	---	----	------	---	------	----	----	------

Step Blocks	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Linear Foot	Linear Foot/ Layer	Linear Foot/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
-------------	------------	----------------	-------------	-----------------	--------------------	---------------------	---------	------------	-------------

Gradino Step Block	8	5	40	1.5	15	53	88	880	3520
--------------------	---	---	----	-----	----	----	----	-----	------

Murata™ Step Block 36"	3	3	9	n/a	n/a	n/a	306	918	2754
------------------------	---	---	---	-----	-----	-----	-----	-----	------

Murata™ Step Block 48"	2	3	6	n/a	n/a	n/a	398	796	2388
------------------------	---	---	---	-----	-----	-----	-----	-----	------

SPECIFICATIONS

# Non-stock Product Specifications

Non-stock Products	Pcs/ Layer	Layers/ Pallet	Pcs/ Pallet	Pcs/Sq Foot	Sq Ft/ Layer	Sq Ft/ Pallet	Lbs/pcs	Lbs/ Layer	Lbs/ Pallet
Alpine Stone Large Square (70mm)	9	8	72	.85	10.59	84.7	38	342	2714
Alpine Stone Large Rec (70mm)	12	8	96	1.28	9.36	74.88	26	312	2471
Alpine Stone Med Square (70mm)	20	8	160	1.92	10.4	83.2	20	400	2746
Alpine Stone Small Rec (70mm)	40	8	320	3.84	10.4	83.2	9	360	2746
Alpine Rotundo Stone (70mm)	12	4	48	n/a	11.4	45.6	varies	n/a	1425
Alpine Rotundo Single Stone (70mm)	12	8	96	1.04	11.5	92.3	30	356	2890
Chateau Wall™ (100mm)	60	5	300	9.3	6.45	32.24	9.5	570	2850
Inter Stone (60mm)	40	9	360	3.6	11.1	100	8	320	2750
Interstone (80mm)	40	7	280	3.6	11	77.7	10.27	411	2877
Octo Stone (60mm)	40	9	360	3.6	11.1	100	8	320	2750
Octo Stone Edger (60mm)	50	9	450	4.88	10.24	83	6	300	2268
Symmetry Stone (60mm)	32	9	288	3.5	9.1	82	8	256	2255
Holland Permeare 90° Herringbone (80mm)	36 whole 8 half	7	252 whole 56 half	4.56	8.6	60.2	8.22	351	2107

SPECIFICATIONS





INSPIRATION


Granite Stone Cambridge Blend



Camino Stone Cambridge Blend



Murata™ Wall Cambridge Blend



## Standard Paving Stone Finishes

(Not all finishes available in all stones)

DETAILS

**Suitable for pedestrian traffic only**  
Available in Slimline Holland and Slimline Cobble

**40mm**

**Suitable for pedestrian traffic only**  
Available in LaLastra™

**50mm**

**Suitable for pedestrian and light vehicular traffic**  
Available in all standard paving stones


**60mm**

**Suitable for pedestrian and heavy vehicular traffic**  
Available in Alpine Stone™ by special order

**70mm**

**Suitable for pedestrian and heavy vehicular traffic**  
Available in Milana Stone™. Other stones available by special order

**80mm**



## Standard Paving Stone Thicknesses

(Not all thicknesses available in all stones)

# Maintenance Considerations

Pavers are tough and will last a long time. However, in order to help them last a lifetime, there are some maintenance tasks to complete and circumstances you will want to consider to get the most out of your hardscape.



- Joints** The joints between your paving stones are the most important area of your pavers to keep maintained for the structure and stability of your hardscape. Damp, shaded areas between stones are prone to moss and weed growth. Insects sure love them too!
- Location** If you live in an area with orange or red soil, make sure to take precautionary measures to avoid walking on your pavers with muddy shoes. The orange/red soil has high iron content and will severely stain our paving stones. Our pavers are colored with iron oxide and the iron in the soil bonds molecularly with the iron in the pavers, resulting in an extremely stubborn stain.
- Weather** In the Pacific Northwest, we're known for having a moist and mucky climate. Ensure that you follow our maintenance checklist to regularly keep your pavers free of dirt and debris that leave organic stains if left to decompose. Additionally, moss and weeds will grow often, so ensure you're using a paver cleaner or bleach rinse every Spring to ensure your hardscape is ready and looking good for Summer.

MAINTENANCE

## Maintenance checklist

After Installation	Monthly	Annually (Spring)	Every 3–4 years	Every 5–10 years
Clean your pavers using a paver cleaner or bleach rinse.	Sweep, hose, or blow off your pavers to keep dirt and debris from collecting and leaving organic stains.	Clean your pavers with a coarse-bristle broom and paver cleaner to keep them looking new.	Re-seal your hardscape.	Remove and replace any chipped or cracked pavers.
Ensure your joints are full of joint or polymeric sand (or aggregates for permeable pavers).	Remove weeds between your joints by pulling them or using a weed preventative or weed killer.	Remove efflorescence.  For more information, visit our website.		Spot replace base material or bedding if dips or rises occur.
Apply a sealer the day after the pavers have been cleaned.		Supplement the joints of your pavers with sweeping sand so they stay full and sturdy.		Replace plastic edge restraint or border stones if they're sloughing off or loose.





And whatsoever ye do in word or deed, do all in the name of the Lord Jesus, giving thanks to God and the Father by him.  
- Colossians 3:17

*We invite you to stop by any of our retail facilities or dealerships to speak with a knowledgeable sales person, and to see our product in person.*

**WESTERN INTERLOCK RETAIL FACILITIES:**

10095 Rickreall Rd, Rickreall, OR 97371

9145 Fassett St., Olympia, WA 98512



*Paving Stones & Retaining Wall Systems Made for the Northwest.*

**503.623.9084** OR  
**360.878.9301** WA

**westerninterlock.com**